



Solvents for
**organic
trace
analysis**



Pesti-S

Dioxins, Furans & PCB'S

Large Volume / GC





Detection, Identification, Quantification

are the analyst's challenges without forgetting rapidity

With the development of advanced analytical techniques, trace analysis has been a major challenge for analytical chemists.

Analytical chemistry involves the **separation, identification, and quantification** of target compounds in complex samples. Modern chromatographic techniques have an excellent separation power. They are versatile and allow the use of a variety of detection techniques. However, due to the increasing requirements of environmental and toxicological regulations, the current detection limits cannot meet

all needs; therefore, sample enrichment by extraction-concentration technique is frequently required before introduction samples into the chromatographic system. As a result, high purity solvents are needed in the extraction-concentration technique for the analysis of residues, pesticides and other general trace organic contaminants in water, soil, food, etc.

Analytical chemistry involves the **separation, identification, and quantification** of target compounds in complex samples.

Purification, Analysis, Reproducibility

state-of-the-art when you produce high purity solvents

Purification

Chemistry is the expertise of Biosolve.

More than 10 years ago, Biosolve introduced to the market ULC/MS solvents. We keep our chemical plant and machinery up to date

through state-of-the-art technology. That is why we are able to improve regularly the specifications of our products.

Our production site in France (57 Dieuze) is certified ISO 9001 : 2008.

Analysis (control - specification)

From the initial approval of selected raw materials through in process control to the final packed product, all the steps are perfectly documented, to ensure a high quality of production with lot-to-lot reproducibility and complete traceability.

Chemical and physical analyses are performed according to written procedures using modern equipment properly maintained and calibrated as per ISO procedures.

Adequate parameters are chosen for each category of products regarding their application.



These methods are used to control our raw materials, in-process and finish products regularly.

- **HPLC with detection:** MS, PDA, UV
- **GC with detection:** MS, FID, ECD, NPD, Headspace
- **And some others:** IR, MS, NMR, UV-VIS, Fluorescence, ICP

Reproducibility

High reproducibility from batch to batch. We are constantly adjusting our specifications and offer several grades according to the solvent and its use.

All solvents are filtered through 0.2 μm and packed under inert gas. Manufacturing and recommended expiry dates are clearly stated on the labels and COA.



A glass dropper is shown at an angle, with a single drop of bright yellow liquid hanging from its tip. The background is a vibrant green with a soft, out-of-focus texture. White hexagonal outlines are scattered across the top and bottom of the image, creating a molecular or chemical theme. A dark grey, angular shape on the left side contains white text.

A complete
range of solvents
for **environmental
analysis, highly
purified and finally
distilled** in all
glass systems
to ultra low
residue level.

From classical to ultimate trace analysis

Different grades
conforming
your needs

Pesti-S

Our **classical solvents** suitable for analysis of common pesticides and residues analysis, NPD and ECD tested.

Each batch is tested following 1000:1 concentration.

GC/ECD any pesticide (as lindane)	max. 5 ng/l
GC/NPD any pesticide (as Parathion)	max. 10 ng/l

Dioxins, Pesti-S, Furans and PCB's

Solvents suitable for all analysis of 209 PCB range, from 2-PCB to deca-PCB, including TCDD isomers, (mainly 2,3,7,8-TCDD), furans and dioxins.

Each batch is tested following 1000:1 concentration.

GC/ECD Dioxins, furans & PCB's	max. 5 ng/l
GC/ECD any pesticide (as lindane)	max. 5 ng/l
GC/NPD any pesticide (as Parathion)	max. 10 ng/l

LV/GC - Large Volume GC solvents

For **ultimate organic trace analysis**, checked at ppt level of PAH, furans & PCB's. Pesticides and other residual organic contaminants, low level of C10-C40 hydrocarbons for mineral oil analysis, suitable for analysis with GC-FID, -MS, -NPD, -ECD etc.

Each batch is tested following 1000:1 concentration.



Pesti-S

Dioxins, Furans & PCB'S

Large Volume / GC



Products list

A complete range of solvents for environmental analysis, highly purified and finally distilled in all glass systems to ultra low residue level.

Acetone	n-Hexane 99%
Acetonitrile	n-Hexane 96%
n-Butanol	Isohexane
tert-Butanol	Methanol
tert-Butyl Methyl Ether	iso-Octane
Chloroform st. amylene	n-Pentane 99%
Choroform st. ethanol	n-Pentane 96%
Cyclohexane	Petroleumether 30-60
Dichloromethane st. amylene	Petroleumether 40-60
Dichloromethane st. ethanol	1-Propanol
Diethylether	2-Propanol
Di-isopropylamine	Tetrahydrofuran
Ethanol	Toluene
Ethyl acetate	1,1,2-Trichloroethane
n-Hepane 99%	Water
n-Heptane 96%	



Determination of volatile organic compounds in water and soils:

« **Purge and Trap** »
method Methanol
Purge & Trap 136828.



Custom made products

We offer various solvent mixtures for analysis.
Please inquire.

For example :

- Dichloromethane + Hexane
- Ethyl acetate + Toluene

Density and % of each compound are stated on the specifications.



Shuttle drums

All solvents: Pesti-S, Dioxins, Pesti-S, Furans and PCB's, and LV-GC can be delivered as per customer's requirements in 5 or 25 lit. drums.

Ask us



ULC/MS solvents

High chemical purity by GC analysis >99.99%.


Headspace

A range of high boiling point solvents, such as DMA, DMI, DMSO, etc. specially developed for Headspace analysis of organic volatile impurities.

Biosolve Hydroquant™

product line covers the whole range of volumetric and coulometric reagents for the determination of water by Karl-Fischer method.





BIOSOLVE BV

Leenderweg 78; 5555
CE Valkenswaard,
the Netherlands
Tel. (+31) 40 2071300
Fax (+31) 40 2048537

**info@
biosolve-chemicals.com**

BIOSOLVE CHIMIE

20, Rue Roger Husson
F-57260 Dieuze
Tel. (+33) 3 87 86 75 80
Fax (+33) 3 87 86 75 89

info@biosolve-chimie.com

BIOSOLVE INDIA

B 904 Prayag Residency
Behind Grand Bhagwati
Bodakdev
Ahmedabad
380015
Tel. (+91) 9879206494

**soumitra@
biosolve-chemicals.com**

To find out
more
visit our
website



www.biosolve-chemicals.eu - shop.biosolve-chemicals.eu

Because you
need **Quality**